



Technical Features

# F-LINE

Light Weight Construction Series



Sharing the load



**Standard and Optional Features**


February 2025

Standard and Optional Features	3545M L	4145M L	3545D L		4145D L	
	Day Cab	Day Cab	Day Cab	Low Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab
<b>Safety &amp; Technology</b>						
Pre-Collision Assist	○	○	○	○	○	○
Lane Keeping Alert (LDWS)	●	●	●	●	●	●
Electronic Stability Program (ESP)	●	●	●	●	●	●
Driver Alert System	●	●	●	●	●	●
Moving-off Information System (MOIS)	●	●	●	●	●	●
Rear View Camera	●	●	●	●	●	●
Blind Spot Information System (BLIS)	●	●	●	●	●	●
Alcohol Interlock Facilitation	●	●	●	●	●	●
Traffic Sign Recognition	●	●	●	●	●	●
Emergency Stop Signal	●	●	●	●	●	●
Tire Pressure Monitoring System (TPMS)	●	●	●	●	●	●
Auto High Beam Headlamps	○	○	○	○	○	○
Pre-Collision Assist with Pedestrian Detection	○	○	○	○	○	○
Electronic Brake System with ABS & ATC (EBS)	●	●	●	●	●	●
Electro-Hydraulic Steering System (EHPAS)	-	●	-	-	●	●
Retarder	○	○	○	○	○	○
Diferential Lock	●	●	●	●	●	●
<b>Interior</b>						
Multimedia System with 9" Touch Screen (DAB Radio, Bluetooth, USB (A Type - C Type), Apple CarPlay, Android Auto, Remote Control)	●	●	●	●	●	●
Navigation	○	○	○	○	○	○
Improved Sound and Heat Insulation	●	●	●	●	●	●
Manual Sunroof	○	○	○	●	○	●
Air Conditioning	●	●	●	●	●	●
Dry Cab Heater	-	-	-	○	-	-
Dry & Wet Type Cab Heater	-	-	-	○	-	-
Wet Type Cab Heater	○	○	-	○	○	-
Dual Passenger Seat	○	○	○	-	○	-
Driver Seat Armrest	○	○	○	●	○	●
Axle Load Measurement Device	●	●	●	●	●	●
Adjustable Steering Wheel	●	●	●	●	●	●
Driver Seatbelt Warning System	●	●	●	●	●	●
Mattress Topper for Lower Bed	-	-	-	○	-	○
Single Bed (Without Upper Storage Ares)	-	-	-	●	-	●
Improved Sound and Heat Insulation in the Cabin	●	●	●	●	●	●
Side Window Dimmings	●	●	●	●	●	●
Bed Side Control System	●	●	●	●	●	●
Interior Lighting with Reading and Night Light Functions	●	●	●	●	●	●
Multi-Function Remote Control Key, 2 pieces	●	●	●	●	●	●


Standard and Optional Features	3545M L	4145M L	3545D L		4145D L	
Exterior	Day Cab	Day Cab	Day Cab	Low Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab
Full Trailer - O4 (more than 10T towing capability)	-	-	o	o	o	o
4,08 FDR	•	•	•	•	o	o
4,11 FDR	o	o	o	o	o	o
4,87 FDR	-	-	o	o	•	•
Composite Leaf Spring Rear Suspension	o	o	o	o	o	o
XPT-330 Rear Axle	o	o	o	o	o	o
385/65 R22.5 Front Tire (With 315/80 R 22.5 Rear Tire)	-	o	-	-	o	o
315L Aluminum Fuel Tank (Right Side)	•	•	•	•	•	•
300L Aluminum Fuel Tank (Right Side)	-	o	o	o	o	o
250L Aluminum Fuel Tank (Right Side)	-	o	-	-	o	o
3300 mm Wheelbase	-	-	o	o	-	-
3800 mm Wheelbase	•	-	•	•	-	-
4400 mm Wheelbase	-	o	-	-	o	o
4750 mm Wheelbase	-	-	-	-	o	o
5100 mm Wheelbase	-	•	-	-	•	•
HVO Compatability	•	•	•	•	•	•
Engine PTO	•	•	o	o	o	o
NH4C Transmission PTO	o	o	•	•	•	•
NH1C Transmission PTO	o	o	-	-	o	o
NH4B Transmission PTO	o	o	o	o	o	o
NH1B Transmission PTO	o	o	o	o	o	o
Twin PTO (Low and High Ratio)	o	o	o	o	o	o
Hydraulic Cab Tilting	•	•	•	•	•	•
Electrically Operated Cab Tilting	o	o	o	o	o	o
FL, EX/II, OX & AT Classification ADR Package	o	-	o	o	-	-
Aluminum Rims Except for Baloon Tyres (Alcoa)	o	o	o	o	o	o
Reinforced Wheel Rim	-	-	-	-	o	o
Without Front Spare Tire	o	o	o	o	o	o
Front Spare Tire / Rim	•	•	•	•	•	•
Horizontal Exhaust	•	•	•	•	•	•
Vertical Exhaust	-	-	o	-	-	-
LED Headlamps	o	o	o	o	o	o
Halogen Headlamps	•	•	•	•	•	•
Rain Sensor & Autolamps	o	o	o	o	o	o
225 aH Battery	•	•	•	•	•	•
Switchable Air Brake Compressor	•	•	•	•	•	•
Smart Tachograph	•	•	•	•	•	•
Air Cab Suspension	•	•	•	•	•	•
Short Bumper	•	•	•	•	•	•
Medium Bumper	-	-	o	-	-	-
Oil Pan Shield	-	-	-	-	o	o
Cold Pack	o	o	-	-	o	o
Beacon Lamp	-	-	o	-	o	-
Double Roof Beacon Lamp (Passenger Side Lamp & Driver Side Infrastructure)	o	o	o	o	o	o
Front Towing Hooks	•	•	•	•	•	•

• Standard o Optional

3545M L & 3545D L DC



4145M L & 4145D L DC



Dimensions (mm)	3545M L	4145M L	3545D L		4145D L	
	Day Cab	Day Cab	Day Cab	Low Roof Sleeper Cab	Day Cab	Low Roof Sleeper Cab
Wheelbase (B)	3800	5100	3800	3800	5100	5100
Overall Length (G)	8260	8870	7511	7511	8850	8850
Front Overhang (A)	1450	1450	1450	1450	1450	1450
Rear Overhang (F)	1660	970	911	911	950	950
Distance Between 1st and 2nd Wheel Centers (C)	3800	2050	3800	3800	2050	2050
Distance Between 2nd and 3th Wheel Centers (D)	1350	3050	1350	1350	3050	3050
Distance Between 3th and 4th Wheel Centers (E)	-	1350	-	-	1350	1350
Overall Vehicle Width (Excluding Mirrors) (J)	2540	2540	2540	2540	2540	2540
Overall Cab Length (I)	2163	2150	2163	2508	2150	2510
Total Vehicle Height (H)	3081	3199	3200	3200	3200	3200

Weights (kg)		1st Axle	2nd Axle	3rd Axle	4rd Axle	Total
3545M L (Day Cab)	Technically Permissible Weight	8000	11500	11500	-	29000
	Kerb Weight	4862	2440	2041	-	9343
	Payload	3138	9060	9459	-	19657
	Regulatory Permissible Weight	8000	9500	9500	-	26000
4145M L (Day Cab)	Technically Permissible Weight	8000	8000	11500	11500	37000
	Kerb Weight	3925	3189	1700	1660	10474
	Payload	4075	4811	9800	9840	26526
	Regulatory Permissible Weight	8000	8000	9500	9500	32000
3545D L (Day Cab)	Technically Permissible Weight	8000	11500	11500	-	29000
	Kerb Weight	5210	2223	2257	-	9690
	Payload	2790	9277	9243	-	19310
	Regulatory Permissible Weight	8000	9500	9500	-	26000
3545D L (Low Roof Sleeper Cab)	Technically Permissible Weight	8000	11500	11500	-	29000
	Kerb Weight	5319	2223	2257	-	9799
	Payload	2681	9277	9243	-	19201
	Regulatory Permissible Weight	8000	9500	9500	-	26000
4145D L (Day Cab)	Technically Permissible Weight	8000	8000	11500	11500	37000
	Kerb Weight	3703	3538	1572	1572	10385
	Payload	4297	4462	9928	9928	26615
	Regulatory Permissible Weight	8000	8000	9500	9500	32000
4145D L (Low Roof Sleeper Cab)	Technically Permissible Weight	8000	8000	11500	11500	37000
	Kerb Weight	3565	3762	1762	1734	10823
	Payload	4435	4238	9738	9766	26177
	Regulatory Permissible Weight	8000	8000	9500	9500	32000

\*The kerb weight data includes a 90% full fuel tank, other fluids, tools, a spare tire, and a driver weighing 75 kg. Weight values may vary depending on the vehicle configuration.



This leaflet includes products designed for Ford vehicles. It provides information about the current technical specifications and the standard or optional accessories available as of the date it was issued. Features of standard and optional accessories of the vehicles may be changed from time to time. For this reason, please consult our Authorized Dealers to obtain updated and accurate information on the features of the vehicle you wish to buy. For the aforementioned reason, this leaflet does not constitute an assurance as to the specifications listed herein. The images used in this leaflet may be different from the vehicles on sale. The technical specifications provided herein are for standard vehicles. Selection of any optional accessories might cause differences from these specifications.

